



RFID



# FORS

GENERAL  
CATALOGUE

INNOVATIVE  
ANTI-THEFT  
SOLUTIONS



# ABOUT US

---

ANTI-THEFT SOLUTIONS | **FORS**

Fors France is a French SME operating in over 30 countries, specializing in the design and distribution of retail security solutions that effectively reduce shrinkage.

With over 40 years of close collaboration with major retailers and specialty stores, Fors France has become a leading expert in retail theft prevention.

Today, the company offers the widest range of protective cases and EAS antenna gates, with varying degrees of protection.

It has also developed a range of security accessories for self-service products.

To maintain its competitive edge and leadership in innovation, Fors prioritizes intellectual property protection through registered designs, patents, and trademarks.



**+33(0)1 41 77 62 00**

**FORS FRANCE SAS**

295 rue du professeur Milliez  
94 500 CHAMPIGNY SUR MARNE

*Since 1984*

# ANTI-THEFT SOLUTIONS



Reactivity and flexibility are key words at Fors, as they have been from the start.

Knowledge of the market : We have expert knowledge in the security and anti-theft domains.

Robustness : We create durable and robust products.

Strengths : We are excellent at plastic processing, metallurgy, IT, electronics, and design.

Worldwide : We are present in more than 30 countries and are developing fast in emerging countries.

French manufacture : Our safe cases, antennas and listening stations are manufactured in France.



**100% french compagny**  
since 1984



**OUR PATENTS**

Constant innovation : Thanks to our innovative and customer-oriented mindset, we will create the perfect-fit product that meets your requirements.

At the forefront of technology from conception to development, we create tomorrow's products for you.

**14 patents**  
Fors



**THE FORS TEAM**

Our sales team partners with you: We will support you and guide you with the mass market retailer brands throughout the procurement process, on both the technical and financial aspects.

Our sales team listens to you : your feedback is precious to our Research and Development department team in their design process.

**Reactivity | Flexibility | Partnership**



**OUR CREDENTIALS**



Fors has built a solid reputation of reliability, constant innovation and quality French manufacturing throughout the years, for our flagship products such as the safe cases, the antennas and all of

our products range. We are proud to commit to these values and the work ethic they represent in today's market.

# SUMMARY

## PAGE 2 PRESENTATION

## PAGE 6 EAS SOLUTIONS

- Examples and placement instructions 7
- RF 8,2MHz MONO EAS Gates 8
- RF 8,2MHz DUO (RxTx) EAS Gates 9
- AM 58kHz EAS Gates 10
- Metal detection (Boosterbags & magnets) 11
- Emergency Call Button 12
- EAS Deactivators 13

## PAGE 14 GATES - GUIDANCE

## PAGE 16 EAS ACCESSOIRES

- Anti-Theft Labels 17
- **FORSTAG** Anti-theft Tags 18
- **FORSTAG** SDS 20
- **FORSTAG** Clamp (Anti-Theft Clamp) 21
- Other Security Hard-Tags 22
- **FORSTAG** Alcohol 24
- **FORSTAG** Wine and Champagne 25
- Can-Tag for Cans and Ice Cream Tubes 26
- Spiders and Alarmed Security Tags 28
- Peg Lock, BlisterKey and Detachers 30
- **SPINTAG** Solution 32
- **PROTECTPIN** Solution 35

## PAGE 36 ANTI-THEFT SECURITY SAFERS

- Release Trigger presentation and practical guide to choosing the right security safer 37
- Official Sony PlayStation Safers 38
- Official Nintendo Switch Safers 40
- Official Microsoft Xbox Safers 42
- Cosmetics - USB Sticks - Batteries 44
- Razor Blades and Batteries 46
- List of all available safers 47

## PAGE 48 OPEN DISPLAY AND LISTENING POSTS

- Protection for Phone 49
- Protection for Watches, Cameras and Control Unit 50
- Protection for Tablets 51
- Hub and Autonomous Sensor 52
- Associated cables and accessories 53
- Mechanical protection for Computers and Tablets 55
- MP3 and On-demand Audio Listening Terminals 56
- Parabolic Audio Dome and Prestige Headset 57

# E.A.S. SOLUTIONS




For over 30 years, Fors France is considered to be a leader in retail anti-theft security solutions.

With their **expertise and field knowledge**, our sales representatives remain attentive to assist you with your projects

Always striving for excellence, our RF and AM security gates feature next-generation DSP technology to provide optimal protection for your merchandise.

**Several thousands of stores have been equipped** avec les antennes Fors en France et dans le monde.



## EAS SOLUTIONS

- Examples and placement instructions 7
- RF 8,2MHz MONO EAS Gates 8
- RF 8,2MHz DUO (RxTx) EAS Gates 9
- AM 58kHz EAS Gates 10
- Metal detection (Boosterbags & magnets) 11
- Emergency Call Button 12
- EAS Deactivators 13






# ANTI-THEFT RF GATES



## ANTI-THEFT GATES

Our Radio-Frequency EAS gates have been specially designed to adapt to the most challenging environments. With its **SmartPulse** technology, the EAS Gate analyzes and detects interfering elements while optimizing detection. This technology enables a **detection distance of up to 2.20m** between two EAS gates (with the Forstag Round). Once installed, the antenna adapts itself to its environment, limiting maintenance costs. It fits perfectly into supermarkets/hypermarkets, DIY stores, convenience stores or shopping malls... The EAS Gates in this lineup operate on the **8.2 MHz radio frequency**, the international frequency for EAS security hard-tags and EAS self-adhesive labels. They are compatible with all brands of anti-theft labels/tags.

## EXAMPLE OF RF IMPLEMENTATION OF MULTIPLE CHECKOUTS (HYPERMARKET) :






# ANTI-THEFT RF GATES




## ADDITIONAL INSTRUCTIONS :



Leave **20 cm** between an EAS gate and the guide bar.




For an optimal detection between two gates, do not exceed **180 cm**.



Leave at least **90 cm** between an EAS gate and the checkout scanner.



Leave **90 cm** between the EAS Gates and baskets.




Leave **50 cm** between the EAS Gates and trolleys.



Position the antenna in line with the guidance gates.



Position the security gate to clear a passage for the trolley



Leave **50 cm** between the gates and the automatic door or metal shutter.



# ANTI-THEFT RF GATES



## RF MONO RANGE (8,2 MHz)

Our RF EAS security gates were specially designed to adapt to the most sensitive environments.

With its SmartPulse technology, the security gate analyzes and detects interfering elements while optimizing detection.

This technology can reach a detection range of up to 2.20m between two EAS gates (with the Forstag Round).

Once installed, the EAS security gate automatically adapts to its environment, reducing maintenance costs.

It integrates perfectly into supermarkets/hypermarkets, DIY stores, convenience stores, or shopping centers...

These EAS security gates operate in the 8,2 MHz radio-frequency technology, the international frequency for EAS hard-tags and self-adhesive labels.

## DETECTION DISTANCES BETWEEN GATES :



Labels  
90cm




HardTags  
90cm



Forstag Round  
110cm


In optimal circumstances




ARM-G3  
314 x 1500 x 120mm



ARM-ALU  
360 x 1495 x 40mm



ORC  
314 x 1500 x 65mm



MONO

Detection 2 sides of antenna



## FEATURES

- DSP with SmartPulse feature
- Automatic interference analysis
- Excellent detection
- Versatile EAS Gate
- Elegant Design
- Stable performance over time

## AVAILABLE OPTIONS

### PROTECTIVE SHIELD



Protective shield preventing detection on one side of the security gate and isolating from interference.

### REVERSE PASSAGE ALARM

Audible alarm when an individual passes through the gates in the wrong direction for a dedicated entry or exit.

### PROTECTIVE COVER

Protects the gate's lower base against lateral impacts.



### CLOSED CHECKOUT ALARM

Audible alarm when an individual passes through a gate adjacent to a closed checkout.

### PIVOT GATE

From 1 passage unit to 2.



### TROLLEY PROTECTION

Metal tubes and PMMA slide.





# ANTI-THEFT RF GATES



## RF DUO RANGE (8,2 MHz)

Symphony plus radio-frequency security gates are perfectly suited to retail stores, allowing optimal detection between two gates.

With its **RxTx** technology, antenna gates work in pairs by transmitting and receiving.

The Symphony Plus range consists of two models: **Symphony Plexiglas** and **Symphony Aluminum**. The technology and operation of both antennas are identical, with the difference lying in their design.

This technology can reach a detection range of up to 2.20m between two **EAS gates** (with the Forstag Round).

These EAS security gates operate in the **8,2 MHz radio-frequency technology**, the international frequency for EAS hard-tags and self-adhesive labels.

### DETECTION DISTANCES BETWEEN GATES :



Labels  
180cm




HardTags  
200cm



Forstag Round  
220cm


In optimal circumstances



SYM-PLE



SYM-ALU



### FEATURES

- Versatile EAS Gate
- Elegant Design
- Stable performance over time
- DSP with SmartPulse feature
- Automatic interference analysis
- Excellent detection



| FORS Reference  | Product Name                                  | Technology  |
|---|---|---|
| ARM   | RF Mono Armony EAS Security Gate              | RF 8,2 MHz  |
| SYM   | RF Duo Symphony EAS Security Gates (the pair) |   |
| <b>Shared Options :</b> Trolley Protection, Protective Cover, Protective Shield, Pivot Gate |   | <b>Plexiglas Options :</b> Backlighting, Reverse Passage Alarm, Closed Checkout Alarm |



# ANTI-THEFT AM GATES



## AM RANGE (58 kHz)

Specially developed for pharmacies and retail stores looking for small, self-adhesive labels, the AM range has already been installed in several hundred stores.

With its **RxTx** technology, antenna gates work in pairs by transmitting and receiving.

A **Mono** version of the antenna is also available.

This technology can reach a detection range of up to 2.20m between two **EAS** gates.

The antennas in this range operate in the **58 kHz acoustic-magnetic technology**, the international frequency for hard and self-adhesive labels.

They are compatible with all brands of anti-theft tags and labels.

### DETECTION DISTANCES BETWEEN GATES :



Labels  
160cm



HardTags  
200cm



Rambo Tags  
220cm

In optimal circumstances






AM-ALU-RXTX



AM-ALU-MONO

## FEATURES

- Clean and simple design
- Excellent detection
- Can integrate advertisements
- Less sensitive to disturbances
- Low frequency



| Reference | Product Name          | Technology | Dimensions (mm) W x H x D |
|-----------|-----------------------|------------|---------------------------|
| AM-ALU-*  | AM EAS Security Gates | AM 58 kHz  | 444 x 1 530 x 50          |

RxTx 30 and 50cm models available, Mono 42cm model available.



# METAL DETECTION



## METALGUARD AND HYPERGUARD GATES : METAL DETECTION AND BOOSTER BAGS (ARMORED BAGS)

This range complements standard EAS gates by providing effective detection of metal-lined booster bags and concealed items.

### FEATURES

- Metal/HyperGuard systems detect metallic objects in bags, clothing, strollers, and other containers.
- Door filter: Enables installation as close as 70 cm to automatic doors, reducing false alarms. This eliminates false alarms due to moving doors.



**BUZZER ALARM**  
**OPTIONAL PAGER**  
**OPTIONAL STROBE LIGHT**

METALGUARD GATE

### ASSOCIATED CONTROLLER

- MetalGuard antennas are connected in series to a controller.
- Supports remote diagnostics and maintenance via RJ45 Ethernet connection.
- Up to 12 Metal/HyperGuard and ApparelGuard antennas for one controller



ASSOCIATED CONTROLLER



DETECTION OF MAGNETS IN FITTING CABINET



METALGUARD ANTENNAS WITH OUR ARMONY RF ANTENNAS



| FORS Reference | Product Name   | Dimensions (mm) W x H x D   |
|----------------|--|-----------------------------|
| DET-MET        | Metalguard Gates<br><b>Versions : 12, 18 or 24 cm and HyperGuard Filter (carts, strollers)</b> | 120, 180 or 240 x 1500 x 50 |
| DET-APP        | ApparelGuard<br><b>Magnet detection in fitting rooms</b>                                       | 130 x 235 x 30              |
| DET-CON        | Metal/HyperGuard Gates Controller<br><b>Up to 11 equipments connected</b>                      | 190 x 115 x 50              |



# EMERGENCY CALL BUTTON



## Emergency call button

The emergency call button is typically installed at checkout counters, allowing staff to discreetly alert security in case of a threat. Security receives the signal instantly, can take action against the aggressor and quickly relieve the cashier.



AC-BOUT2

- Range : 100m (without obstacles)
- Power : 10mW
- Battery Life : 15 000 clicks
- Power Supply : 1 23AE 12V battery

## Staff Call Button

This call button is positioned on the shelf or at strategic points in your sales area. It allows customers to request assistance when no staff member is nearby. The sales assistant instantly receives the call and can quickly go to the aisle to advise your customer.



AC-BOUT1  
Waterproof

## BEEPER



AC-BIP

The beeper enhances service efficiency by streamlining staff communication and response times.

Alerts are delivered via discreet vibration or audible signal. The beeper also lets you know where the call is coming from (production point). Its touch screen and intuitive menu make it extremely easy to use.

- Battery Life : 96 hours
- Alerts : Vibrations & Ringing
- Waterproof: Optional

## DISPLAY

The display station is compatible with all Fors call buttons. It displays the first two calls and the number of calls waiting.

- Alert : Ringing
- Capacity : 99 buttons
- Power Supply : Power Plug



AC-AFF


| FORS Reference | Product Name          | Dimensions (mm) W x H x D |
|----------------|-----------------------|---------------------------|
| AC-BOUT1       | Emergency Call Button | 65 x 65 x 15              |
| AC-BOUT2       | Staff Call Button     | 60 x 67 x 20              |
| AC-BIP         | Beeper (Watch)        | 50 x 40 x 10              |
| AC-AFF         | Display               | 320 x 100 x 40            |



# EAS LABEL DEACTIVATORS



Fixed deactivators are mounted beneath the checkout counter and connected to the scanner or a dedicated pad, enabling seamless deactivation of RF or AM labels.



**HOW DEACTIVATION WORKS.**  
The deactivation loop surrounds the scanner, providing a deactivation range of approximately 15 cm.

This layout enables the cashier to maintain her work rhythm, as the label is automatically deactivated when the product is scanned. A configurable beep notifies the cashier when a label has been successfully deactivated.

## METAL DETECTOR



## RF DETECTOR AND MANUAL DEACTIVATOR



## 2 OUTPUTS RF DEACTIVATOR



## RF DEACTIVATION PAD



## 2 IN 1 AM DEACTIVATOR



| FORS Reference | Product Name                            | Packing     |
|----------------|---|-------------|
| DESACRF2       | RF deactivator 2 outputs                | Single Unit |
| DESAPAD-RF     | RF deactivation pad (Autonomous 2 in 1) | Single Unit |
| DESACAM        | AM deactivation pad (Autonomous 2 in 1) | Single Unit |
| DESACMAN       | Manual RF detector and deactivator      | Single Unit |
| DETMET         | Portable metal detector                 | Single Unit |



## EXIT WITHOUT PURCHASE / EMERGENCY EXIT

The manual "no-purchase exit" gate can be configured to open in either direction.

The "emergency exit" gate has a notch to allow passage in an emergency.



## GUIDE BARS

Guide bars help organize store entrances and exits, self-checkout areas, and checkout lanes.

The assembly of intermediate posts, end posts and guide bars between one and two meters enables precise adaptation to all types of store configuration.



## GUIDE RAILS

Floor-mounted guide rails protect store fixtures from shopping cart collisions.

Modular elements allow easy planning and installation.

Made of stainless steel, they can be used indoors or outdoors.



## ANTI-COVID SHIELD

Paired with standard guidance systems, this Plexiglas shield prevents droplet transmission between adjacent checkout stations.





## AUTOMATIC GATE

The automatic gate is the ideal solution for securing the entrance to your store. It opens automatically when a customer approaches.

## OPPOSITE DIRECTION ALARM OPTION



If someone tries to pass through the gate in the opposite direction, an alarm is triggered.



*Panel customization possible*

## NO-PURCHASE EXIT

The automatic "no-purchase exit" gate can be remotely operated by staff from the reception desk.




## SELF-SERVICE SOLUTION

The self-checkout solution opens the gate on presentation of the barcode printed on the receipt.

This system reduces theft and guarantees a high level of security at self-checkouts.

# EAS ANTI-THEFT ACCESSORIES



## ANTI-THEFT LABELS

- RF and AM anti-theft labels 17

## FORSTAG ANTI-THEFT HARD-TAGS

- **FORSTAG** Trad, Round, Ink and RFID 18
- **FORSTAG** Blister, Padlock 2 and 3 19
- **FORSTAG** SDS (Drill bits protection) 20
- **FORSTAG** Clamp - Non-invasive anti-theft clamp (no perforation required) 21
- Generic Hard-Tags 22
- **FORSTAG** Alcohol 24
- **FORSTAG** Wines & Champagnes 25
- **Can-Tag** Cans and Ice Cream Tubs 26

## ALARMED ANTI-THEFT DEVICES

- Spiders 28
- Alarmed Cables (2 formats) 29
- 4 Alarms Strapping Anti-Theft and 3 Alarms Cable 29

## HOOKS AND DETACHERS

- Spindle Lock and BlisterKey 30
- Detachers 31
- **SPINTAG** Solution 32
- **PROTECTPIN** Solution 35






## RF 8,2 MHZ LABELS

For optimal detection, choose larger labels with extended circuit surfaces.  
Fors Radio Frequency anti-theft labels have an excellent detection.




**WHITE**  
3x3  
4x3  
4x4  
Rond Ø4  
5x5

**BLACK**  
3x3  
4x4  
Rond Ø3  
Rond Ø4




**BARCODES**  
3x3  
4x3  
4x4  
5x5

**INSERTABLE**



**HEART**

**TRANSPARENTS**  
6,5x1,9  
5x2,3  
4x4  
5x5



Transparent labels are more discreet and fit more easily on cosmetics and small products.

## SPECIFIC RF LABELS

Customize your labels with ease, thanks to labels printable on thermal printers.  
Fresh labels meet the demands of food products.



**HEALTH LOGO**  
4x4



**THERMAL**  
4x4



**FRIDGE BARCODE**  
4x4

## AM 58KHZ LABELS

Compatible with all AM Acousto Magnetic anti-theft gates on the market.  
Their small size allows them to be discreetly placed on your point-of-sale products.



**INSERT**



**BARCODE**



**WHITE**



# FORSTAG RANGE



## INTELLIGENT DESIGN

- Discreet, stylish and ready for permanent use
- Possibility of customizing the range for large quantities
- All-in-one system (pin + clamp + detection) :
  - Fewer lost parts
  - Single storage bin at checkout and in stockroom
- Retractable pin to prevent user harm
- Simple and quick securing and opening :
  - Single hand usage
  - Time savings
- Products are unlocked on delivery



## PRODUCTS ARE RESPECTED


- Smooth pin to prevent damage on garments
- Possibility of protecting certain products without penetrating the material thanks to a notch. Suitable for belts, cables, suspenders, lingerie, etc..

## SECURITY

- RF, AM or RFID Technology
- 3 security levels available with Normal Lock, Super Lock or Hyper Lock magnetic system.

## FORSTAG USAGE

Quick and simple product securing



## FORSTAG RFID

FTRFID - Encoding option available



## FORSTAG TRAD

FTTRA



## FORSTAG ROUND

FTROU - Highest detection



## FORSTAG INK

FTINK - Ink for deterrence



## PERSONALIZED FORSTAG

Large quantities.

## INSTANT OPENING quick and easy to secure



## An evolution of the anti-theft tag



Before



After



# FORSTAG RANGE



## HYGIENE AND SECURITY : RETRACTABLE PIN

We all know that handling security tags poses a real safety and hygiene issue for store teams.

In the open position, the **FORSTAG** tag is invisible, this innovation allows staff to handle the product without physical risk.

To secure the **FORSTAG**, simply press the button.



## A COST-EFFECTIVE SOLUTION

With its extreme ease of use, the **FORSTAG** range provides store staff with security that leads to greater efficiency in their daily work.

Productivity increases by the comfort in managing tedious, repetitive tasks.

Equipped with a foldable hook, the **FORSTAG Blister** is designed to adapt to various blister product packaging.

Its compact size allows it to fit easily into existing shelves.



### FORSTAG BLISTER

FTBLI - Foldable hook

Thanks to its metal cove, the **FORSTAG Padlock** range is the ideal solution for protecting leather goods, fashion accessories, sports accessories, strollers, shoes, etc.

The metal cove guarantees maximum security for your items, making it impossible to cut the anti-theft tag with scissors or simple tools.

### FORSTAG PADLOCK 2

FTPL2 - Large cove

### FORSTAG PADLOCK 3

FTPL3 - Narrow cove



| FORSTAG Reference | Product Name      | Technology | Security                              | Packing           | Carton Weight     |         |
|-------------------|-------------------|------------|---------------------------------------|-------------------|-------------------|---------|
| FTTRA             | Forstag Trad      | RF or AM   | Normal Lock, Super Lock or Hyper Lock | 100               | 1,80 kg           |         |
| FTROU             | Forstag Round     |            |                                       |                   | Highest detection | 1,80 kg |
| FTINK             | Forstag Ink       |            |                                       |                   | Deterrence Ink    | 1,80 kg |
| FTBLI             | Forstag Blister   |            |                                       |                   | Foldable Hook     | 1,90 kg |
| FTPL2             | Forstag Padlock 2 |            |                                       | Large metal Cove  | 50                | 1,25 kg |
| FTPL3             | Forstag Padlock 3 |            |                                       | Narrow metal Cove |                   | 1,40 kg |
| FTRFID            | Forstag RFID      | RFID       |                                       | 50                | 1,75 kg           |         |



# FORSTAG SDS

**FORSTAG**  
INNOVATIVE SOLUTIONS

**FORS**  
exclusive  
Patent

## PROTECTION FOR SDS PLUS DRILL BITS

*The only solution designed to  
protect SDS PLUS drill bits*

### SUITABLE FOR THE SDS PLUS FORMAT

- Guided insertion, lock adapted to the drill bit
- Universal **SDS PLUS** solution (multi-brand), suits all common labels in the market.

### INTELLIGENT DESIGN

- Discreet, stylish and ready for permanent use
- Possibility of customizing the range for large quantities.
- All-in-one system (pin + clamp + detection) :
  - Reduced losses
  - Unique storage bin at the register and storage area
- Retractable pin to prevent injury
- Quick and easy opening and securing :
  - Forstag can be installed with just one hand
  - Time savings
- Products are delivered opened



*Guided insertion  
and simplified securing*



*The label is secured  
without obstruction*

### FORSTAG SDS

FTSDS  
Compatible with  
**SDS PLUS** drill bits



### OPTIMAL INTEGRATION

EAS tag installation & configuration  
based on supplier label positioning.



| FORS Reference | Product Name     | Technology      | Security                              | Packing | Carton Weight |
|----------------|------------------|-----------------|---------------------------------------|---------|---------------|
| FTSDS          | Forstag SDS Plus | RF, AM or RF+AM | Normal Lock, Super Lock or Hyper Lock | 25      | 0,50 kg       |



# ANTI-THEFT CLAMP



**FORSTAG**  
INNOVATIVE SOLUTIONS

## FORSTAG CLAMP

OPENED  
POSITION

**FORS**  
exclusive  
Patent

CLOSED  
POSITION

The **FORSTAG** Clamp effectively secures all your packagings with aluminum and other materials that can fit into its jaws. It is the **world's first security tag** to comply with food safety standards.

Its clamping jaws allows for a **total grip** on packagings.

Current model secures products from **0.1 to 1mm thick**.

For other thicknesses, please contact us.



### SPINDLE OPENING

Possibility to display the security tag on a peghook.

### CLAMPING LEVER

Easy to secure

### TOTAL GRIP

Lateral jaw openings for optimum pack grip.

### MAXIMUM SECURITY

Tamper-resistant pin design prevents intrusion with cutting tools.

### COMPLIANCE WITH FOOD STANDARDS

304 stainless steel retaining plates: Anti-corrosion and resistant to ambient humidity, the anti-theft tag can be washed.

### ANTI-THEFT DETECTION

RF, AM, RFID technology

### DURABLE

Rustproofing treatment on metal parts (axes and springs).

## FORSTAG CLAMP 3 ALARMS

This model of the **FORSTAG** electronic Clamp has 3 alarms :

- Integrated RF or AM ferrite
- Alarm via pressure sensor
- Built-in alarm when passing through anti-theft gates



- Integrated alarm buzzer
- Interchangeable CR2032 battery
- Folding hook for spindle
- Operating LED indicator



| FORS Reference | Product Name                   | Technology      | Security                              | Packing | Carton Weight |
|----------------|--------------------------------|-----------------|---------------------------------------|---------|---------------|
| FTC            | Forstag CLAMP                  | RF or AM + RFID | Normal Lock, Super Lock or Hyper Lock | 100     | 5,20 kg       |
| FTC-4          | Forstag CLAMP Alarm - 3 Alarms | RF or AM        |                                       |         | 6,00 kg       |



## ANTI-THEFT HARD-TAGS

Our range of hard-tags operates on the international radio frequency 8.2MHz or 58kHz for AM.

Fully compatible with all RF (8.2 MHz) and AM (58 kHz) EAS systems.

Available in multiple magnetic strengths to match your detacher and security needs.



4248



ROND



GOLF



PENCIL




LANYARD



TAO

R30



SENSOR

RAMBO

## STANDARD PINS

Available in smooth, grooved, flat-head, domed, or conical pin styles (16 or 19 mm).

Our pins are shipped in bags of 1,000 (package weight 1.50 kg).



CLOU

## SPECIALIZED PINS

Ink tags, alarm tags, and lanyards are available in several models.



## EYEWEAR TAG

Eyewear tags offer secure protection without damaging frames, thanks to soft, non-slip pads.

RF-OPTIC



## ADJUSTABLE ANTI-THEFT TAG - PEINTURETAG

The PeintureTag is ideal for securing cylindrical items (e.g., spray cans) with diameters from 60 to 84 mm. It has an anti-slip strip on the inside to prevent slipping. Ideal for spray paint cans.

- Anti-slip strips on the inside of the collar to prevent slipping
- Anti-tamper spikes for added security
- Strapping diameter Ø 60 to 84 mm
- Bloc size : 33 x 33 x 37mm
- Radio-Frequency (RF 8,2 MHz)
- Adjustable pull tab

BBTAG-TRF



| FORS Reference | Product Name   | Technology      | Security                  | Packing | Carton Weight |
|----------------|--|-----------------|---------------------------|---------|---------------|
| -              | Anti-theft Hard-Tags                                 | RF, AM or RF+AM | Normal Lock or Super Lock | 100     | -             |
| CLOU           | Pins   | -               | -                         | 1000    | -             |
| RF-OPTIC       | Eyewear EAS Tag                                      | RF              | Normal Lock               | 100     | 1,10kg        |
| BBTAG-TRF      | Adjustable cylindrical anti-theft tag - Peinture Tag | RF              | Normal Lock               | 10      | 0,37 kg       |



# FORSTAG ALCOHOL



## FORSTAG ALCOHOL

The **FORSTAG ALCOOL** range has been designed to facilitate its placement and removal at checkout while adapting to all bottles on your shelf (Wine, Champagne and Alcohol).

This solution allows you to secure **100% of your alcohol bottle display**.

Also suitable for **other compatible-sized items** such as power tools, rackets, or knives.

FORSTAG ALCOHOL / FTA



WITH CAP / FTAB



FORSTAG UNIVERSAL / FTU

(Adjustable Cap)



FORSTAG XS / FTAC-XS



## ALARMED FORSTAG ALCOHOL

The **ALARMED ALCOHOL FORSTAG** allows you to reach an optimal security level for your bottles.

This model of the **electronic Alcohol FORSTAG** has 3 alarms:

1. Embedded Alarm when crossing the store's security gates
2. Alarm via the RF or AM coil
3. Alarm via pressure sensor

- Retractable Cap
- Embedded Alarm Buzzer
- Interchangeable CR2032 battery
- Operating LED indicator



### QUICK AND SIMPLE

Ergonomic design ensures a fast and easy application.



### METALLIC STRAP

Available as an option for maximum safety.

### SECURE NOTCHING

Protected notching prevents tool insertion into the rack.



### MAXIMAL DETECTION

RF or AM coil for maximum detection through your EAS gates.

### RETAINING RIB

For maximum grip on the bottle.



### ADJUSTABLE CAP

FTU - Fits all alcohol bottles.

| FORSTAG Reference | Product Name                        | Available Options                  | Technology      | Security                              | Packing | Carton Weight |
|-------------------|-------------------------------------|------------------------------------|-----------------|---------------------------------------|---------|---------------|
| FTA               | Forstag Alcohol                     | Reinforcement strap, XS version    | RF, AM or RF+AM | Normal Lock, Super Lock or Hyper Lock | 100     | 3 kg          |
| FTAB              | Forstag Alcohol with cap            | Reinforcement strap                |                 |                                       |         | 4,50 kg       |
| FTU               | Forstag Universal (Adjustable Cap)  | Reinforcement strap, Deterrent ink |                 |                                       |         | 5,20 kg       |
| FTUCA             | Forstag Alcool Universal with Alarm | Reinforcement strap                | RF or AM        |                                       | 20      | 1,10 kg       |



# WINE & CHAMPAGNE



## FORSTAG WINE & CHAMPAGNE

Because your Wine and Champagne sections deserve a refined presentation, we have developed discreet yet effective anti-theft tags.



### UNIQUE LATCHING POSITION

The fixed-latch principle ensures optimum clamping of the FORSTAG on the bottle.

### COMPACT

Compact design preserves shelf space and fits neatly in wine crates. The transparency of the Wine and Champagne FORSTAG does not alter the visual appearance of the bottle.

### FEATURES

- All in one system.
- Fixed-latch system ensures consistent, secure placement, no manual adjustment needed.
- Time-savings during setup and removal at checkout.
- Does not damage the bottle.
- Available with Normal Lock or Super Lock opening, integrates RF or AM coil.
- Discreet and stylish.
- FORSTAG Retractable pin.



### FORSTAG WINE

FTVIN - For wine only  
Color : Dark Green



### FORSTAG CHAMPAGNE

FTCHA - For Champagne  
Color : Champagne



### STANDARD BOTTLE TAG

Simple and universal solution  
RFCOL : RF  
AMCOL : AM

### FORSTAG CHAMPAGNE



### FORSTAG WINE



| FORS Reference | Product Name      | Technology | Security                  | Packing | Carton Weight |
|----------------|-------------------|------------|---------------------------|---------|---------------|
| FTVIN          | Forstag WINE      | RF or AM   | Normal Lock or Super Lock | 100     | 1.90 kg       |
| FTCHA          | Forstag CHAMPAGNE |            |                           |         | 2,10 kg       |



# CAN-TAG RANGE



## PROTECTION OF CANS

**FORSTAG**  
INNOVATIVE SOLUTIONS

As these are highly sought-after products, the growing exposure of cans and ice cream tubs is increasing theft of these products.

Aluminum cans interfere with EAS detection due to the Faraday effect, reducing tag effectiveness.

With the CAN-TAG™ range, **FORS** offers an efficient and cost-effective solution to prevent theft of cans and ice cream tubs



**FORS**  
exclusive  
Patent



CT1 - 25 & 33cl    CT2 - 33 & 50cl    CT4 - 47 & 59cl

### 3 variants of the CAN-TAG™

For all you cans

### CAN-TAG™ 3

For canned crab or tuna.



CT3





# CAN-TAG RANGE



## GUARANTEED RETURN ON INVESTMENT

- By eradicating the growing trend of in-store can consumption.
- By preventing the theft of cans freely displayed in your store.

Quick : 1 click necessary to secure the can



## Simple opening

The internal spring makes the opening of the CAN-TAG™ easy



## ICE CREAM ANTI-THEFT EAS TAG

Prevents both theft and in-store tampering of ice cream tubs.

Its transparent design ensures full visibility of product labeling and branding.

It is compatible with all ice creams in tubs such as Häagen-Dazs, Ben and Jerry's, Magnum, Snickers, Milka, Talenti and Nutella.



CT5



| FORS Reference | Product Name      | Technology        | Security                              | Packing | Carton Weight    |         |
|----------------|-------------------|-------------------|---------------------------------------|---------|------------------|---------|
| CT1            | Can-Tag S         | RF or AM          | Normal Lock, Super Lock or Hyper Lock | 100     | 25 & 33cl Cans   | 4,60 kg |
| CT2            | Can-Tag M         |                   |                                       |         | 33 & 50cl Cans   | 4,80 kg |
| CT4            | Can-Tag L         |                   |                                       |         | 47 & 59cl Cans   | 4,80 kg |
| CT3            | Can-Tag 3         | RF or AM or RF+AM |                                       |         | Tuna / Crab Cans | 8,50 kg |
| CT5            | Can-Tag Ice Cream |                   |                                       |         | Ice Cream Tubs   | 9,10 kg |



The **spider** is the ideal solution for securing high-value items like tablets and gaming consoles.

A built-in alarm activates if the cable is tampered with or cut.

## SPIDER CGT

SPIDER-CGT  
For the PS5



## SPIDER NET SMALL

SPIDERFIL  
For small accessories

## SPIDER NET MIDDLE

SPIDERBOT  
For tablets and bottles

## SPIDER CONSOLE

SPIDERCON  
For game consoles



## SPIDER BLACK

SPIDER  
For small accessories

## SPIDER MINI

SPIDERMINI  
For small accessories

| FORS Reference | Product Name          | Technology | Security                          | Packing | Carton Weight |
|----------------|-----------------------|------------|-----------------------------------|---------|---------------|
| SPIDERCGT      | Spider PS5 Console    | RF or AM   | Alarm + Normal Lock or Super Lock | 10      | 1,50 kg       |
| SPIDERCON      | Spider Console        |            |                                   |         | 1,20 kg       |
| SPIDER         | Spider Black 2 alarms |            |                                   |         | 5,5 kg        |
| SPIDERMINI     | Mini Spider           |            |                                   |         | 2,05 kg       |
| SIPERFIL       | Spider Net            |            |                                   |         | 4,35 kg       |
| SPIDERBOT      | Spider Net Middle     | RF         |                                   |         | 1,10 kg       |



# ADJUSTABLE TAGS



## STRAP-TAG

ST-TG

### FEATURES :

- Powerful sound alarm
- Offers enhanced security over spider tags with optimized strap tension.
- Compatible with any product secured using nylon straps up to 12 mm wide.

### 4 ALARMS :

- Strapping tension sensor + optical sensor detecting a break in the nylon strap
- 3 second pre-alarm when tag is separated from the product's surface
- Alarm triggered when passing through EAS gates
- Anti-theft ferrite triggers alarms on in-store EAS gates

## ALARMED CABLE 175 & 1200MM

CABAL-175 | CABAL-1200



## ADJUSTABLE ALARM CABLE

CBAJ



| FORS Reference | Product Name                        | Technology | Security                  | Packing | Carton Weight |
|----------------|-------------------------------------|------------|---------------------------|---------|---------------|
| ST-TG          | Strap-Tag                           | RF or AM   | Normal Lock or Super Lock | 10      | 1,00 kg       |
| CABAJ          | Adjustable Alarm Cable 200 or 950mm |            |                           |         | 0,60/0,80 kg  |
| CABAL          | Alarm Cable 175 or 1200mm           |            |                           |         | 0,50 kg       |



# PEG LOCK



## PEG HOOKS PROTECTION

Prevent the theft of your products displayed on peg hooks by securing them with the BlisterKey and Peg Lock.

Equipped with a manual detacher, the salesperson will be able to hand the product to the customer very quickly.

For an optimal protection of your products on pegs, the peg lock can be combined with the **PROTECTPIN** (p35).



Peg Lock  
3 variants :  
4 mm  
5 mm  
8 mm



DEV-VERROU  
Détacheur portable



## NEW SOLUTION FOR SELF-SERVICE ON DISPLAYED HOOKS

ANTI-SWEEP SOLUTIONS

**SPINTAG**



SEE NEXT SECTION



## BLISTER KEY

BK

Spindle lock with integrated price label to optimize planogram space.



| FORS Reference | Product Name                   | Security    | Packing | Carton Weight |
|----------------|--------------------------------|-------------|---------|---------------|
| VERROU         | Peg Lock 4, 5 or 8mm           | Normal Lock | 10      | 0,01 kg       |
| BK             | Blisterkey                     |             |         | 0,80 kg       |
| DEV-VERROU     | Portable spindle lock detacher |             | 1       | 0,15 kg       |



## DETACHERS

To ensure the opening of all our anti-theft tags / accessories equipped with a security point.

The growing number of magnet thefts suggests that you should increase the magnetic power to secure your accessories.

To ensure the reliability of the equipment, a correct match must be made with our services between the detacher and the anti-theft accessories selected.

### 3 MAGNETIC STRENGTHS

-  Normal Lock 5 000 Gauss
-  Super Lock 12 000 Gauss
-  Hyper Lock 18 000 Gauss




DEV-TEX



DEV-SL



DEV-HL



DEV-54C



DEV-GOLF



DEV-HL-E



## DETACHERS FOR SAFERS



FORS DETACHER  
GREY OR RED

DEV-FORS



DEV-54C

To unlock all our anti-theft safers.

Our universal 5-4 detacher provides optimal security for our anti-theft safers.



It also features a built-in Normal Lock magnet for accessories

Detacher supplied with a lockable protective cover.

| FORS Reference | Product Name                       | Security  | Packing   | Carton Weight |
|----------------|------------------------------------|---|-----------|---------------|
| DEV-TEX        | Textile Detacher                   | Normal Lock  | À l'unité | 0,20 kg       |
| DEV-SL         | Super Lock Detacher                | Super Lock   |           | 0,50 kg       |
| DEV-GOLF       | Golf Detacher                      |   |           | 0,50 kg       |
| DEV-HL         | Hyper Lock Detacher                | Hyper Lock   |           | 1,70 kg       |
| DEV-HL-E       | Built-in Hyper Lock Detacher       |   |           | 1,70 kg       |
| DEV-FORS       | <b>FORS</b> Detacher (Gray or Red) | 1P opening triggers only  |           | 0,07 kg       |
| DEV-54C        | <b>FORS</b> 5-4 Universal Detacher | 1P and 3P triggers  | 0,40 kg   |               |



# SPINTAG SOLUTION



FORS  
exclusive  
Patent



Effectively fight against mass theft...

...While still promoting self-service !



## A SIMPLE, EFFICIENT SYSTEM

For thieves, removing all the products displayed on a peg can be easy, a simple sweep into a bag, and it's done in just a few seconds.

**SPINTAG** gives you the ability to delay the collection of displayed retail items in-store, and to prevent impulse thefts and organized thefts resold on parallel markets.


*Annihilate mass theft  
by eliminating spindle sweeping*

The **SPINTAG** system is comprised of 2 elements :

A specialized spindle on which **SPINTAG** equipped products are displayed.

AND

An integrated button on the tag, containing the patented **SPINTAG** technology, allowing you to secure your displayed products.






## SPINTAG FORS Blister

We developed a version of the **FORSTAG** Blister with a hinged **SPINTAG**, designed to make it easier to grip and to guide the tag through the peghook.

The retractable **FORSTAG** pin helps prevent injuries and allows for simple and quick securing and opening.



## SPINTAG FORS Safers

The application of the **SPINTAG** system on security safers includes the presence of a hinge to facilitate gripping and guiding the tag through the peghook.

This hinge also allows the safer to rotate on its vertical axis, making it possible to view the back of the secured product.



**FORS** has a compatible range to meet your needs.



Content Front



Security Safer can be rotated on its vertical axis




Content Rear



# SPINTAG SOLUTION



## SPINTAG Spider



The **SPINTAG** Spider hook is a simple system to set up, allowing for easy, quick, and secure positioning on spiders. Its operating mechanism ensures the spintag hook remains permanently held within the spider's cables.



1 Grab the spider's cable with the tag's hook

2 Press it down until it clicks

3 The spider is secured, you can now hang it



## SPINTAG Hard-Tags



We have developed a **SPINTAG** system application for hard-tags, combined with the **FORSTAG** system :

A built-in retractable pin prevents pin loss and protects staff from injury. The **SPINTAG** simplifies stock management and handling.



## A SECURE HOOK FROM END TO END



For maximum protection of your products on peghooks, the combination of **PROTECTPIN** and **SPINTAG** fully secures your items on the display furniture. This solution is specifically designed to prevent thieves from removing the entire peg equipped with the **SPINTAG**.




Your hook is now secured on its support


**PROTECTPIN** adapts to all types of furniture and peghooks!



Load Bar



Slatted panels




Perforated plate



Grids

The **PROTECTPIN** technology is an easy to setup system, allowing for easy, quick, and secure positioning. Follow these simple steps :



# ANTI-THEFT SECURTIY SAFERS



## ANTI-THEFT SAFERS

- Release Trigger presentation and practical guide to choosing the right security safer 37
- Official Sony PlayStation Safers 38
- Official Nintendo Switch Safers 40
- Official Microsoft Xbox Safers 42
- Cosmetics - USB Sticks - Batteries 44
- Razor Blades and Batteries 46
- List of all available safers 47




## **FORS** MODERN ANTI-THEFT SAFERS



### NO METAL AXIS

The safer is reinforced with a plastic hinge for extra security.




### FOLDING HOOK

Reduced height for greater storage flexibility.



### SUPPORT FEET

Allows the case to stand upright on a flat surface.



### ANTI-SCRATCH NUBS

Allows you to stack cases without scratching them.

A COMPLETE RANGE TO PROTECT ALL YOUR PRODUCTS.

MORE THAN 50 MODELS  
FOR ALL YOUR NEEDS



THE  
SMALLEST

USB  
Internal Size :  
70 x 72 x 16 mm



THE  
BIGGEST

P14D  
Internal Size :  
230 x 300 x 210 mm



i

Download the guide to choose the right security safer :

→ [www.fors.fr/guide](http://www.fors.fr/guide) ←



BOÎTIERS DE PROTECTION

**FORS**

Guide pratique en taille réelle



Hauteur en cm

QUEL BOÎTIER CHOISIR ?

Le tableau ci-dessous reprend les principaux boîtiers (hors jeux vidéo...) à l'échelle 1/1.

Placez votre produit à protéger sur le tableau afin de trouver rapidement le boîtier le plus adapté à votre besoin.


Vérifiez ensuite la profondeur de votre packaging avec les boîtiers proposés.

Cotes internes en Taille Réelle

RELEASING TRIGGERS FOR SECURITY SAFERS

Universal Detacher 5-4 for 3P

1P FORS or Normal Lock Release Triggers



3P Release Trigger



With RF or AM coil, detection by the EAS gates

ANTI-THEFT SAFERS CUSTOMIZATION

INCREASE THE VISUAL IMPACT OF YOUR DISPLAYS

Easy identification of products on shelves by customers. Highlighting products to encourage the act of buying. Creation of store universes with more attractive shelves: maximized merchandising impact. No mixing of safers, each safer remains in its own category.

PLASTIC ENGRAVING



LOGOTYPE LABEL



CUSTOMIZED COLORS AND DESIGN



EVERYTHING IS POSSIBLE !





# OFFICIAL PS5 SAFER



OFFICIAL PARTNER



The official PS5 anti-theft safer manufactured by **FORS**, with its strong visual identity, highlights the quality of your display and allows for quick identification of video games by console.

Reference : PS5



The official PS4 anti-theft safer manufactured by **FORS** enhances the presentation of PS4 games still displayed in-store.


Reference : PS4

## CONSOLE PROTECTION



SPIDER-CGT | see p28

**FORS** has been the official partner since the PS1 release in 1995.





# ASSOCIATED SAFERS



## P22 SAFER

P22  
Internal Size :  
200 x 200 x 90 mm



## USB SAFER

USB  
Internal Size :  
70 x 72 x 16 mm



OFFICIAL **FORS** PS5 GAME SECURITY SAFERS



# OFFICIAL SWITCH SAFER



## SWITCH

**FORS**  
exclusive  
Design

OFFICIAL PARTNER



### SWITCH

The official **SWITCH 1 & 2** security safers manufactured by **FORS** and their strong visual identity highlight the quality of your display and allow quick identification of video games by console.

Reference : SW2 (red) or SW1



### DS

The official **DS** game anti-theft safer made by **FORS** allows you to showcase the games on display in the store.

Reference : DSJ



### CONSOLE PROTECTION



P14 SAFER | see p47



SPIDER-MINI | see p28

**FORS** has been the official partner for many years.

Wii  
Wii U



GAME BOY



DS



GAME BOY ADVANCE





# ASSOCIATED SAFERS



## P14 SAFER

P14  
Internal Size :  
230 x 297 x 108 mm




## P08 SAFER

P08  
Internal Size :  
128 x 135 x 49 mm

## PRINT SAFER

PRINT  
Internal Size :  
183 x 133 x 70 mm



SWITCH GAME SECURITY SAFERS ARE **SPINTAG** COMPATIBLE



# OFFICIAL XBOX SAFER



OFFICIAL PARTNER



The official **XBOX** safer made by **FORSA** and their strong visual identity highlight the quality of your display and allow quick identification of video games by console.

Reference : XBOXX



The official **XBOX ONE** safer made by **FORSA** enhances the presentation of **XBOX ONE** games still on display in your store.

Reference : XBONE



**FORSA** is the **XBOX** official partner since the original's 2001 release.



## CONSOLE PROTECTION



SPIDER-CON | see p28



# VARIOUS SAFERS



## COSMETICS

The **COS 5** safer features a refined design that enhances the presentation of your cosmetic creams. This safer has been optimized to protect your entire display lineup. It includes an **8.2 MHz RF** ferrite for added security.



**COS5**  
Internal Size :  
70 x 70 x 72 mm

**AGB**  
Internal Size :  
115 x 115 x 85 mm



## USB STICKS - MEMORY CARDS

**Cleverly compact**, the Blister security safer allows **up to 50%** space saved compared to a traditional safer.

- A single safer for the entire USB flash drive and memory card range
- Uses the already existing hanger opening on the packaging
- Keep your existing shelf product lineup
- Saves space
- Saves time

### BLISTER SAFER

**USB**  
Internal Size :  
70 x 72 x 16 mm



### LAM 10 AND LAM 11

**LAM10**  
Internal Size :  
98 x 110 x 27 mm

**LAM11**  
Internal Size :  
98 x 110 x 37 mm



# VARIOUS SAFERS

## AUDIO-VIDEO

The fors safers will protect any products that fits inside.



### CD SAFER

CDP  
Internal Size :  
144 x 132 x 15 mm



### BLU-RAY SAFERS

DVHD / DVHD3  
Internal Size :  
139 x 174 x 18 mm (DVHD)  
137 x 172 x 46 (DVHD3)



### DVD SAFERS

DVDP / DVD2  
Internal Size :  
143 x 195 x 20 mm (DVDP)  
143 x 204 x 45 mm (DVD2)

## PHONES - OTHERS



### T01 SAFER

T01  
Internal Size :  
112 x 201 x 25 mm

### T03 SAFER

T03  
Internal Size :  
150 x 222 x 85 mm

### C3DTEL SAFER

C3DTEL  
Internal Size :  
233 x 163 x 105 mm



P10  
Internal Size :  
143 x 218 x 43 mm



P11  
Internal Size :  
135 x 189 x 46 mm



P17 / P17D  
Internal Size :  
101 x 196 x 49 mm (P17)  
101 x 196 x 71 mm (P17D)



DSC  
Internal Size :  
224 x 156 x 69 mm



# VARIOUS SAFERS



P07  
Internal Size :  
149 x 71 x 69 mm



P15  
Internal Size :  
227 x 215 x 210 mm



P16  
Internal Size :  
204 x 242 x 14 mm



P09  
Internal Size :  
100 x 120 x 59 mm



P28  
Internal Size :  
144 x 80 x 17 mm

## LARGE SAFERS

### P25 - P26 - P27 SAFERS

Same format, two different depths - W x H : 200 x 259 mm



P25  
Depth :  
50 mm



P26  
Depth :  
70 mm



P27  
Depth :  
101 mm

### P14 - P14D SAFERS

Same format, two different depths - W x H : 230 x 297 mm



P14  
Depth :  
108 mm



P14D  
Depth :  
208 mm

Biggest security safer in our lineup



# VARIOUS SAFERS



## RAZORBLADES

Razor blades are often packaged in cardboard boxes, increasing the risk of theft.

The **LAM series of safers** addresses this vulnerability, **effectively protecting razor blades against theft.**


**LAM07**  
COVERS 75%  
OF THE LINEAR



Depth  
26 mm

### LAM05 AND LAM07 SAFERS

Same format, two depths  
W x H : 100 x 114 mm



The **LAM 05** and **LAM 07** security safers are designed to be **positioned on peg hooks and push-shelf displays.**

**LAM05**  
COVERS 25%  
OF THE LINEAR



Depth  
46 mm



### LAM 1

LAM01  
Internal Size :  
100 x 114 x 18 mm



### LAM 6

LAM06  
Internal Size :  
100 x 114 x 65 mm

## MECHANICAL SHAVERS

Mechanical shavers can also be protected by our safers.



### P17 SAFER

P17  
Internal Size :  
101 x 196 x 49 mm



### DOUBLE P17 SAFER

P17D  
Internal Size :  
101 x 196 x 71 mm

### P13 SAFER

P13  
Internal Size :  
71 x 215 x 50 mm

### P20 SAFER

P20  
Internal Size :  
118 x 300 x 43 mm



## TALL SAFERS

| FORS Reference | Product Name                 | Code   | Volume (cm <sup>3</sup> ) | Internal Size (mm) |     |     | External Size (mm) |     |     | Blister Slot | Security | Packing | Carton Weight |
|----------------|------------------------------|--------|---------------------------|--------------------|-----|-----|--------------------|-----|-----|--------------|----------|---------|---------------|
|                |                              |        |                           | W                  | H   | D   | W                  | H   | D   |              |          |         |               |
| USB            | Blister Safer                | 345    | 80                        | 70                 | 72  | 16  | 76                 | 104 | 28  | 3 sides      |          | 125     | 4,50 kg       |
| VOLT           | Volt Safer (Blister H.120mm) | 414    | 150                       | 72                 | 70  | 28  | 80                 | 130 | 50  | 2 sides      |          | 48      | 3,50 kg       |
| COS5           | COS 5 Safer                  | 501    | 352                       | 70                 | 70  | 72  | 85                 | 94  | 94  |              |          | 80      | 10 kg         |
| AGB            | AGB Safer                    | 215    | 1 124                     | 115                | 115 | 85  | 121                | 175 | 92  |              |          | 14      | 3,50 kg       |
| PRINT          | Printer Safer                | 207    | 1 704                     | 183                | 133 | 70  | 192                | 205 | 76  |              |          | 26      | 8,50 kg       |
| CDP            | CD Safer                     | 106    | 285                       | 144                | 133 | 15  | 153                | 163 | 21  |              |          | 84      | 14,60 kg      |
| DVDP           | DVD Safer                    | 111    | 558                       | 143                | 195 | 20  | 153                | 230 | 25  |              |          | 65      | 15,60 kg      |
| DVD2           | DVD Double Safer             | 113    | 1 313                     |                    | 204 | 45  | 153                | 236 | 50  |              |          | 25      | 7,00 kg       |
| DVHD           | BLU-RAY Safer                | 117A   | 430                       | 139                | 174 | 18  | 153                | 230 | 23  |              |          | 65      | 15,40 kg      |
| DVHD3          | BLU-RAY Triple Safer         | 117B   | 1 071                     | 137                | 172 | 46  | 149                | 208 | 51  |              |          | 30      | 8 kg          |
| XBONE          | XBOX ONE Game Safer          | 343    | 474                       | 137                | 173 | 20  | 148                | 234 | 24  |              |          | 55      | 13,10 kg      |
| XBOXX          | XBOX Game Safer              |        |                           |                    |     |     |                    |     |     |              |          |         |               |
| PS4            | PS4 Game Safer               | 344    | 474                       | 137                | 173 | 20  | 150                | 243 | 24  |              |          | 50      | 13,22 kg      |
| PS5            | PS5 Game Safer               |        |                           |                    |     |     |                    |     |     |              |          |         |               |
| SW1            | SWITCH Game Safer            | 346    | 346                       | 110                | 175 | 18  | 118                | 205 | 23  |              |          | 20      | 3,20 kg       |
| DSJ            | DS Game Safer                | 325    | 399                       | 144                | 132 | 21  | 153                | 163 | 29  |              |          | 20      | 3,10 kg       |
| DSC            | DS Console Safer             | 326    | 2 411                     | 224                | 156 | 69  | 234                | 190 | 76  |              |          | 14      | 6,30 kg       |
| C3DS           | 3DS Console Safer            | 339    | 3 985                     | 233                | 163 | 105 | 246                | 220 | 109 |              |          | 7       | 4,50 kg       |
| LAM01          | LAM 01 Safer                 | 401    | 205                       | 100                | 114 | 18  | 111                | 180 | 24  |              |          | 130     | 16,70 kg      |
| LAM05          | LAM 05 Safer                 | 412    | 524                       | 99                 | 114 | 46  | 101                | 144 | 52  |              |          | 30      | 4,80 kg       |
| LAM06          | LAM 06 Safer                 | 413    | 741                       | 99                 | 113 | 65  | 101                | 144 | 71  |              |          | 24      | 4,40 kg       |
| LAM07          | LAM 07 Safer                 | 416    | 296                       | 99                 | 112 | 26  | 101                | 144 | 31  |              |          | 48      | 5,10 kg       |
| LAM10          | LAM 10 Safer                 | 417    | 307                       | 100                | 110 | 27  | 109                | 141 | 32  | 1 side       |          | 40      | 5,20 kg       |
| LAM11          | LAM 11 Safer                 | 418    | 421                       | 98                 | 110 | 37  | 109                | 141 | 42  | 1 side       |          | 20      | 3 kg          |
| P01            | P01 Safer                    | 301    | 120                       | 100                | 67  | 18  | 107                | 100 | 29  | 1 side       |          | 48      | 4,70 kg       |
| P06            | P06 Safer                    | 306    | 468                       | 128                | 122 | 30  | 137                | 155 | 38  | 1 side       |          | 48      | 9,40 kg       |
| P07            | P07 Safer                    | 307    | 730                       | 149                | 71  | 69  | 156                | 101 | 81  | 1 side       |          | 40      | 8,90 kg       |
| P08            | P08 Safer                    | 308    | 847                       | 128                | 135 | 49  | 139                | 166 | 60  | 1 side       |          | 40      | 9,90 kg       |
| P09            | P09 Safer                    | 309    | 708                       | 100                | 120 | 59  | 108                | 151 | 72  | 1 side       |          | 40      | 8,70 kg       |
| P10            | P10 Safer                    | 310    | 1 340                     | 143                | 218 | 43  | 153                | 258 | 49  | 1 side       |          | 25      | 9,20 kg       |
| P11            | P11 Safer                    | 311    | 1 174                     | 135                | 189 | 46  | 145                | 235 | 53  | 1 side       |          | 25      | 8,30 kg       |
| P13            | P13 Safer                    | 313    | 763                       | 71                 | 215 | 50  | 81                 | 257 | 57  | 1 side       |          | 42      | 9,30 kg       |
| P14            | P14 Safer                    | 314    | 7 353                     | 230                | 300 | 110 | 242                | 331 | 115 |              |          | 5       | 5,10 kg       |
| P14D           | Double P14 Safer             | 334    | 13 787                    |                    |     | 210 | 242                | 331 | 216 |              |          | 2       | 2,80 kg       |
| P15            | P15 Safer                    | 315    | 10 249                    | 227                | 215 | 210 | 240                | 260 | 215 |              |          | 2       | 2,30 kg       |
| P16            | P16 Safer                    | MS-074 | 691                       | 204                | 242 | 14  | 210                | 275 | 20  |              |          | 10      | 3,80 kg       |
| P17            | P17 Safer                    | 317    | 970                       | 100                | 196 | 49  | 113                | 228 | 55  | 1 side       |          | 49      | 12,10 kg      |
| P17D           | Double P17 Safer             |        | 1 392                     |                    |     | 71  |                    |     | 77  |              |          | 25      | 6,80 kg       |
| P20            | P20 Safer                    | 320    | 1 522                     | 118                | 300 | 43  | 126                | 333 | 51  |              |          | 24      | 10,10 kg      |
| P22            | P22 Safer                    | 322    | 3 600                     | 200                | 260 | 200 | 210                | 230 | 97  |              |          | 10      | 6,50 kg       |
| P25            | P25 Safer                    | 325    | 2 600                     |                    |     | 50  | 212                | 297 | 58  |              |          | 12      | 7,20 kg       |
| P26            | P26 Safer                    | 326    | 3 640                     |                    |     | 70  | 221                | 298 | 78  |              |          | 10      | 7,40 kg       |
| P27            | P27 Safer                    | 327    | 5 200                     |                    |     | 100 | 212                | 298 | 106 |              |          | 6       | 5,20 kg       |
| P28            | P28 Safer                    | 330    | 196                       |                    |     | 144 | 80                 | 17  | 153 | 85           | 23       |         |               |
| T01            | T01 Safer                    | 347A   | 563                       | 112                | 201 | 25  | 120                | 234 | 30  |              |          | 50      | 9,95 kg       |
| T03            | T03 Safer                    | 348    | 2 831                     | 150                | 222 | 85  | 154                | 256 | 90  |              |          | 15      | 5,56 kg       |

# OPEN DISPLAY AND AUDIO TERMINALS



## OPEN DISPLAY

- Protection for Phones 49
- Protection for Watches, Cameras and Autonomous Control Unit 50
- Protection for Tablets 51
- Hub and Autonomous Sensor 52
- Associated cables and accessories 54
- Mechanical protection for Computers and Tablets 55

## AUDIO TERMINALS

- MP3 and On-demand Audio Listening Terminals 56
- Parabolic Audio Dome and Prestige Headset 57



COMPUTER AND TABLET PROTECTION



## AIRFORS TELEPHONY

The AIRFORS Phone lineup helps you protect the free exposure of your phones in-store. All four devices are equipped with an operating LED.

### TRIPLE SECURITY

These two models offer triple alarm security: via the control unit fixed to the furniture, the charging cable and a sensor glued to the telephone.



AIRFORS TEL 5

- Mechanical clamping : Included



AIRFORS TEL 2

- Mechanical clamping : Optional

### DOUBLE SECURITY

These models offer dual alarm security: via the control unit attached to the furniture, and via the charging cable. The phones are positioned on a non-slip base.



AIRFORS TEL 3

- Material : ABS plastic + Acrylic
- Color : Translucent, silver base



AIRFORS TEL 4

| FORS Reference | Product Name  | Dimensions (mm) W x H x D | Packing     | Carton Weight |
|----------------|---------------|---------------------------|-------------|---------------|
| LT-TEL5        | AIRFORS TEL 5 | 50 x 50 x 60              | Single Unit | 0,27 kg       |
| LT-TEL2        | AIRFORS TEL 2 | 50 x 50 x 90              | Single Unit | 0,21 kg       |
| LT-TEL3        | AIRFORS TEL 3 | 50 x 50 x 60              | Single Unit | 0,205 kg      |
| LT-TEL4        | AIRFORS TEL 4 | 90 x 58 x 45              | Single Unit | 0,225 kg      |



## AIRFORS WATCH

The AIRFORS Watch lineup is designed to secure your smartwatches on open display in your store. They both have an operating LED.



### AIRFORS WATCH 1

Triple alarm solution :

1. Control Unit
2. Pressure sensor on the bracelet
3. Charging cable



### AIRFORS WATCH 2

Double alarm solution :

1. Control Unit
2. Pressure sensor on the bracelet

## AIRFORS AP

This universal system allows you to secure all the cameras on your shelves with a single versatile stand.



## AIRFORS SOLO CONTROL UNIT

This stand-alone system allows you to secure any type of product via an alarmed self-adhesive sensor (speakers, headphones, computers, etc.).



| FORS Reference | Product Name           | Color | Dimensions (mm) W x H x D | Packing     | Carton Weight |
|----------------|------------------------|-------|---------------------------|-------------|---------------|
| LT-MON1        | AIRFORS WATCH          | White | 112 x 57 x 40             | Single Unit | 0,24 kg       |
| LT-MON2        | AIRFORS WATCH 2        | White | 128 x 57 x 40             | Single Unit | 0,19 kg       |
| LT-APN         | AIRFORS Appareil Photo | Grey  |                           | Single Unit | 0,19 kg       |
| LT-CENT        | Airfors Centrale Solo  | Grey  |                           | Single Unit | 0,12 kg       |



# OPEN DISPLAY



## AIRFORS TABLETS

The AIRFORS Tablet lineup is designed to secure your tablets on open display in your store. They both have an operating LED.



### AIRFORS TAB 1

This model offers a triple alarmed security: a control unit fixed to the furniture, a charging cable and a sensor glued to the tablet.

### AIRFORS TAB 2

This model offers a double alarmed security: a control unit fixed to the furniture and a charging cable.



| FORS Reference | Product Name  | Color  | Dimensions (mm) W x H x D | Packing     | Carton Weight |
|----------------|---------------|--------|---------------------------|-------------|---------------|
| LT-TAB1        | AIRFORS TAB 1 | White  | 114 x 119 x 57            | Single Unit | 0,46 kg       |
| LT-TAB2        | AIRFORS TAB 2 | Silver | 90 x 80 x 65              | Single Unit | 0,295 kg      |



# OPEN DISPLAY




## AIRFORS PC

AIRFORS lineup dedicated to the protection of PCs displayed in-store.

### AIRFORS HUB

Allows you to secure your various devices by connecting them to this hub with Airfors cables. These devices can be charged through this connection.

4 variants : 4, 6, 8 and 10 USB ports.



## AUTONOMOUS SOLUTION



### AIRFORS PC PRESSURE SENSOR

Independent protection stuck onto the computer. This system triggers an alarm when it is removed from the computer as well as when passing through anti-theft gates.

- Technology : RF or AM
- Opening : Normal Lock or Super Lock

## SOLUTIONS MÉCANIQUES

### AIRFORS PC SECURITY CABLE

Reinforced steel cable. Attachment to both the computer and the furniture. Secured with a 4-digit code.



### AIRFORS PC CLAW

Mechanical protection by clamping onto the screen. Attachment by screws or adhesive to the furniture.



| FORS Reference | Product Name                           | Color  | Packing     | Carton Weight |
|----------------|--|--------|-------------|---------------|
| LT-HUB         | AIRFORS HUB<br>4, 6, 8 or 10 USB ports | White  | Single Unit | 0,615 kg      |
| LT-PAL-A       | AIRFORS STANDALONE SENSOR              | Black  | Single Unit | 0,045 kg      |
| LT-CAB-M       | AIRFORS PC SECURITY CABLE              | Black  | Single Unit | 0,160 kg      |
| LT-PCM         | AIRFORS CLAMP PC                       | Silver | Single Unit | 0,735 kg      |



# OPEN DISPLAY



## AIRFORS ASSOCIATED CABLES

Charging cables or alarmed sensors that can connect to AIRFORS equipment (HUB/Central Unit) to secure your in-store displayed equipment.

### CHARGE VIA HUB USB-A ⚡ CHARGE



**CABLE D**  
Straight alarmed charging cable.



**CABLE D R**  
Alarmed charging cable with angle.



**CABLE S**  
Spiral alarmed charging cable.



⚡ Available in LIGHTNING, USB-C and MICRO-USB ⚡



### CHARGE VIA AIRFORS UNIT USB-C ⚡ CHARGE



**CABLE POINT**  
Spiral charging cable for TEL 3, 4 and TAB 2.



**CABLE POINT**  
Spiral charging cable for TEL 2 and TAB 1.



⚡ Available in LIGHTNING, USB-C and MICRO-USB ⚡



### ALARMED SENSORS



**BUTTERFLY SENSOR CABLE**



**ROUND SENSOR CABLE**

Self-adhesive sensors are glued to the secured device.



**CABLE D USB**  
Spiral alarmed cable for PC.



**AIRFORS CABLE LOOP**



# OPEN DISPLAY



## REMOTE CONTROLS AND RELATED ACCESSORIES

### AIRFORS TLCM

Remote control for the various models in the AIRFORS range.



TEL 2, 3 et 4  
TAB 1 et 2



TEL 5



AP



### AIRFORS TLCM HUB

Remote control for airfors hubs only.

### AIRFORS SCREWDRIVER

Screwdrivers are used to adjust the mechanical safety devices on TEL 1 and TEL 2 models.



TEL 1



TEL 2

### AIRFORS STICKERS

Each AIRFORS control unit has its own adhesives.





# OPEN DISPLAY



## A HARD-THEFT-PROOF MECHANICAL SAFETY SYSTEM

### MECHANICAL PROTECTION FOR PCS AND TABLETS

You can add alarmed cables or pressure sensors for extra security.


#### FEATURES :

- Minimum footprint
- Compatible with all PCs
- Optional Keyboard Cover
- Concealed, inaccessible fastening screws
- Twin rails, multiple configurations possible





## MP3 TERMINAL



PEMP3

## ON DEMAND LISTENING TERMINAL


Combined with a CD player




BEA

- Anticorrosion paint
- Equipped with the FORS Prestige vandal-proof helmet

- Minimum footprint
- Vandal-proof buttons and sleeves



## VERTICAL STANDING AND WALL-MOUNTED MODELS AVAILABLE





## PRESTIGE HEADPHONE



CASQUE-PRE1

The patented prestige headphone features an ultra-resistant "vandal-resistant" materials and sheathing.

These headphones are ideal for use in high-traffic areas (points of sale, public places).

- Interchangeable pads
- Vandal-resistant reinforced plastic
- 1 meter reinforced stainless steel sheath



## PARABOLIC AUDIO DOME



DOME


- Good audio quality
- Optional wall-mounted bracket
- Helmet-free: no hygiene problems over time
- Integrated amplifier in the dome. Input jack (5m cable supplied)
- Sound insulation under the dome and absolute freedom of movement
- Personalized listening (1 to 2 people) without disturbing the outside environment



### Headphone-free listening :

Sound diffusion via positioning under the dome.

- Impedance : 8 Ohm
- Material : Transparent polymer



| FORS Reference | Product Name   | Dimensions (mm) W x H x D | Packing | Carton Weight |
|----------------|--|---------------------------|---------|---------------|
| PEMP3          | MP3 Audio Terminal                                   | 80 x 311,5 x 76           | 1       | 2,60 kg       |
| BEA            | On-demand Audio Terminal (Combined with a CD player) | 80 x 311,5 x 76           | 1       | 5,20 kg       |
| CASQUE-PRE1    | Prestige Headphone                                   | 234 x 200 x 30            | 1       | 0,60 kg       |
| CASQUE-COUSS   | Prestige Headphone Ear Pads                          | -                         | 2       | 0,05 kg       |
| DOME           | Parabolic Audio Dome                                 | Ø 510 mm - Height 240 mm  | 1       | 3,00 kg       |



# FORS

*Anti-theft Solutions*



## ADDRESS

Zac des Nations  
295 rue du professeur Paul Milliez  
94500 Champigny-sur-Marne  
France

## CONTACT INFO

Phone: +33 (0)1 41 77 62 00  
Fax: +33 (0)1 41 77 62 40  
E-mail: [export@fors.fr](mailto:export@fors.fr)  
Website: [www.fors.fr/en](http://www.fors.fr/en)